



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

greatest Part of the Blood in the whole Body seemed to be accumulated in this *Viscus*, and was of a darker red Colour than usual.

The Gall-bladder was not bigger than natural, nor did it contain any Stones, or concreted Matter; and, upon gentle Pressure, the Bile moved easily through the *Ductus Cysticus*.

The *Pancreas* was smaller than common, and adhered closely to the *Duodenum*.

The Kidneys were a little inflamed, and of a flatter Figure than usual; occasioned, as I suppose, by the Pressure of the *Peritoneum*.

The Cavity of the *Thorax* was greatly lessened by the *Diaphragma*'s being pressed upwards, by which the Lungs were likewise much compressed, and they adhered in several Places to the *Pleura* and *Medastinum*.—The Heart was of a paler Colour than common: From the Middle to its *Apex*, it was pressed flat, and there was little or no Water to be found in the *Pericardium*.

XI. *An Observation by Mr. William Watson, F. R. S. of Hydatides voided per Vaginam.*

A Gentlewoman aged about 48, the Mother of many Children, after a Respite of Six Years, had, in November 1739. the Symptoms of Conception, which left her in February; from which time to the End of March, she every Night discharged *per Vaginam Uteri* a considerable Quantity of Blood; and, not perceiving an Increase in her Belly, nor (which in

Cases of Conception is the *Pathognomonic Sign* of something preternatural) her Breasts, she concluded her *Menses* were leaving her at their usual Period. But, upon the First of *April*, being taken with great Pains in her Back, and having other Symptoms antecedent to Delivery, there came away, at short Intervals, a very large Number of *Hydatides*, of all the intermediate Sizes, from a Nutmeg to a Pin's-head, some filled with clear, others with bloody *Lymph*; all of them propagated in the manner of a Cluster of Grapes from a spongiose Substance, answering the Purposes of a *Placenta*. After the Discharge of these, in a few Days she recovered her accustomed Health.

Upon boiling some of these *Hydatides*, they appeared like the *Ovary* of a boiled *Hen*, with this Difference; in the *Hen*, the Contents of the *Ova* concrete; in this Case, not; but the Transparency was changed to the Colour of Bile diluted with Water.

XII. *Two Medico-Chirurgical Observations,*
by Monsieur Le Cat: Communicated in a
Letter to Mr. Serjeant Amyand, dated at
Rouen, Feb. 10. 1740. N.S. Translated
from the French by T.S. M.D. F.R.S.

1. *An Observation on Hydatides, with Conjectures
on their Formation.*

September 21. 1739. a Woman died in our *Hôtel-Dieu*, who had an *Abscess* in the Right *Hypochondrium*, through which she discharged *Hydatides*; with